## HAND SANITIZERS

H2-107

SUTTER HEALTH - PHYSICAL ACCESS COMPLIANCE

H2 Number

AUTHOR:	BILL ZELLMER	ISSUE DATE:	7-27-2015
APPLICABLE CODES:	2010 ADA \$ 2019 CBC	REVISED DATE:	10-16-2019



- A: RECOMMEND PLACING HAND SANITIZERS WITH A MINIMUM OF 3" TO ANY OTHER WALL-MOUNTED OBJECTS, SPECIFICALLY INCLUDING BRAILLE SIGNAGE. NOTE: DO NOT PLACE HAND SANITIZERS UNDER BRAILLE BECAUSE IT WOULD INTERFERE WITH THE ABILITY TO FEEL AND READ THE BRAILLE.
- B: RECOMMEND A MAXIMUM OF 1'-8" (20") CLEAR TO THE SIDE OF ANY DOOR JAMB.

  CODE REQUIRES THAT A MINIMUM OF 1'-6" (18") CLEAR ON THE PULL SIDE OF DOOR JAMBS.
- C: RECOMMEND A MAXIMUM 4" DEEP PROJECTION FROM THE WALL SUFACE.

  CODE REQUIRES THAT A MAXIMUM OF 4" IS ALLOWED FOR OBJECTS THAT MAY BE A 'PROTRUDING OBJECT' TO THOSE WHO ARE SIGHT-IMPARED.
- D: RECOMMEND SETTING HIGHEST OPERABLE PART AT 3'-10" (46") ABOVE THE FLOOR.

  ALLOWABLE RANGE: ALL OPERABLE PARTS MUST BE WITHIN A 15" MIN. AND 48" MAX. HEIGHT ABOVE THE FLOOR

